






































1. Terms of Payment: CASH, VAT EX












2. Warranty: 1 Year Warranty

## TURBO HD-TVI PRICELIST











MODEL	PICTURE	DETAILS		
<b>HD720P</b>				
<b>DS-2CE56C0T-IRP</b>		<b>Turbo HD720P IR Turret Camera</b> <ul style="list-style-type: none"> <li>• 1.0 Megapixel high-performance CMOS</li> <li>• Turbo HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• Up to 20m IR distance</li> </ul>	Php 900	
<b>DS-2CE16C0T-IRP</b>		<b>Turbo HD720P IR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1.0 Megapixel high-performance CMOS</li> <li>• Turbo HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• Up to 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 900	
<b>DS-2CE56C0T-IR</b>		<b>Turbo HD720P IR Turret Camera</b> <ul style="list-style-type: none"> <li>• 1.0 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• Up to 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 1,300	
<b>DS-2CE16C0T-IR</b>		<b>Turbo HD720P IR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1.0 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• Up to 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 1,500	
<b>DS-2CE16C0T-IT3</b> 		<b>Turbo HD720P IR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• EXIR technology, up to 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,000	
<b>DS-2CE16C0T-IT5</b> 		<b>HD720P EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• EXIR technology, up to 80m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,300	
<b>DS-2CE56C0T-IT3</b>		<b>Turbo HD720P IR Turret Camera</b> <ul style="list-style-type: none"> <li>• 1.0 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• EXIR technology, up to 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,100	
<b>DS-2CE16C2T-IT1</b> 		<b>Turbo HD720P EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• HD720P Video Output</li> <li>• Adopt HDTVI Technology</li> <li>• True Day/Night, Smart IR</li> <li>• EXIR technology, 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,300	









MODEL	PICTURE	DETAILS		
<b>DS-2CE16C2T-IT3</b> 		<b>Turbo HD720P EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1.3 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True day / night, Smart IR</li> <li>• EXIR technology, 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,500	
<b>DS-2CE16C2T-IT5</b> 		<b>Turbo HD720p EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1.3 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• EXIR technology, up to 80m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,800	
<b>DS-2CE56C2T-IT3</b> 		<b>Turbo HD720P EXIR Turret Camera</b> <ul style="list-style-type: none"> <li>• 1 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• EXIR technology, up to 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,500	
<b>DS-2CE16C2T-VFIR3</b> 		<b>Turbo HD720P EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 1.3 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• True day / night, Smart IR</li> <li>• EXIR technology, 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 3,100	
<b>DS-2CE56C2T-VFIR3</b> 		<b>HD720P Outdoor Vari-focal IR Turret Camera</b> <ul style="list-style-type: none"> <li>• 1.3 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 720P resolution</li> <li>• 2.8 – 12mm vari-focal lens</li> <li>• True Day/Night</li> <li>• DNR, Smart IR</li> <li>• Up to 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 3,100	







MODEL	PICTURE	DETAILS		
<b>HD1080P</b>				
<b>DS-2CE56D0T-IRMM</b> 		<b>Turbo HD1080P Indoor IR Dome Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 20m IR distance</li> </ul>	Php 1,600	
<b>DS-2CE16D0T-IR</b>		<b>Turbo HD1080P IR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 20m IR distance</li> <li>• IP66 weatherproof</li> <li>• OSD menu</li> <li>• Up the Coax(HIKVISION-C Protocol)</li> </ul>	Php 1,800	
<b>DS-2CE56D0T-IR</b>		<b>Turbo HD1080P IR Turret Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• True Day/Night, Smart IR</li> <li>• EXIR technology, up to 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 1,800	
<b>DS-2CE56D0T-IT3</b> 		<b>Turbo HD1080P IR Turret Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• True Day/Night, Smart IR</li> <li>• EXIR technology, up to 20m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,500	
<b>DS-2CE16D0T-IT3</b> 		<b>HD1080P EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 1920(H) x 1080(V)</li> <li>• 6mm fixed lens</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,300	
<b>DS-2CE16D0T-IT5</b> 		<b>HD1080P EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 1920(H) x 1080(V)</li> <li>• 6mm fixed lens</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 40m IR distance</li> <li>• IP66 weatherproof</li> </ul>	Php 2,800	
<b>DS-2CE56D1T-VPIR</b> 		<b>HD 1080p Vandal-Resistant IR Dome Camera</b> <ul style="list-style-type: none"> <li>• HD 1080p Video Output</li> <li>• HD-TVI Technology</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 65 Feet IR Range</li> <li>• IK10 Vandal Resistance</li> <li>• OSD Menu Controlled via UTC</li> </ul>	Php 2,600	
<b>DS-2CE56D1T-IRZ</b> 		<b>HD1080P Indoor Motorized Vari-Focal IR Dome Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 2.8 – 12mm motorized vari-focal lens</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 30m IR distance</li> <li>• OSD menu</li> <li>• Up the Coax(HIKVISION-C Protocol)</li> <li>• OSD menu</li> </ul>	Php 4,700	

MODEL	PICTURE	DETAILS		
<b>DS-2CE56D5T-IRM</b> 		<b>HD1080P Turbo HD Turret Camera</b> <ul style="list-style-type: none"> <li>• HD1080P Video Output</li> <li>• Adopt HDTV I Technology</li> <li>• True Day/Night</li> <li>• OSD menu, 3D DNR, Smart IR</li> <li>• 20m IR distance</li> <li>• IP66 weatherproof</li> <li>• Up the Coax (via coaxial cable)</li> <li>• 120 dB Wide Dynamic Range</li> </ul>	Php 4,700	
<b>DS-2CE16D5T-IR</b> 		<b>HD1080P Turbo HD Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• True Day/Night</li> <li>• OSD menu, 3D DNR, Smart IR</li> <li>• True WDR, up to 120dB</li> <li>• Up to 20m IR distance</li> <li>• IP66 weatherproof</li> <li>• UTC function(Pelco C protocol)</li> </ul>	Php 4,700	
<b>DS-2CE16D5T-IT3</b> 		<b>HD1080p TurboHD EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 2.8 – 12mm motorized vari-focal lens</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 30m IR distance</li> <li>• OSD menu</li> <li>• Up the Coax(HIKVISION-C Protocol)</li> <li>• OSD menu</li> </ul>	Php 5,800	
<b>DS-2CE16D7T-IT3Z</b> 		<b>HD1080P WDR Motorized VF EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 2.8-12mm motorized vari-focal lens</li> <li>• True Day/Night</li> <li>• OSD menu, DNR, Smart IR</li> <li>• True WDR, up to 120dB</li> <li>• EXIR technology, up to 40m IR distance</li> <li>• IP66 weatherproof</li> <li>• Up the Coax (HIKVISION-C)</li> </ul>	Php 4,700	
<b>DS-2CE56D5T-IT3</b> 		<b>HD1080P WDR EXIR Turret Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• True Day/Night</li> <li>• OSD menu, 3D DNR, Smart IR</li> <li>• True WDR, up to 120dB</li> <li>• EXIR technology, up to 40m IR distance</li> <li>• IP66 weatherproof</li> <li>• Up the Coax(HIKVISION-C, Pelco-C Protocol)</li> </ul>	Php 5,600	
<b>DS-2CE16D1T-AVFIR3</b> 		<b>HD1080P Vari-focal IR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 2.8 – 12mm vari-focal lens</li> <li>• True Day/Night, Smart IR</li> <li>• Up to 40m IR distance</li> <li>• IP66 weatherproof</li> <li>• OSD menu</li> <li>• 24V AC/ 12V DC (-A)</li> <li>• Up the Coax(HIKVISION-C Protocol)</li> </ul>	Php 4,500	

MODEL	PICTURE	DETAILS		
<b>DS-2CE16D5T-VFIT3</b> 		<b>HD1080P Turbo HD Outdoor Vari-focal EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 2.8-12mm vari-focal lens</li> <li>• True Day/Night</li> <li>• OSD menu, 3D DNR, Smart IR</li> <li>• True WDR, up to 120dB</li> <li>• Up to 50m IR distance</li> <li>• IP66 weatherproof</li> <li>• Up the Coax(HIKVISION-C, Pelco-C Protocol)</li> <li>• 12V DC</li> </ul>	<b>Php 6,900</b>	
<b>DS-2CE16D5T-AVFIT3</b> 		<b>HD1080P WDR Vari-focal EXIR Bullet Camera</b> <ul style="list-style-type: none"> <li>• 2 Megapixel high-performance CMOS</li> <li>• Analog HD output, up to 1080P resolution</li> <li>• 2.8-12mm vari-focal lens</li> <li>• True Day/Night</li> <li>• OSD menu, 3D DNR, Smart IR</li> <li>• True WDR, up to 120dB</li> <li>• Up to 50m IR distance</li> <li>• IP66 weatherproof</li> <li>• Up the Coax(HIKVISION-C, Pelco-C Protocol)</li> <li>• 24V AC/ 12V DC (-A)</li> </ul>	<b>Php 7,200</b>	
<b>Turbo HD PTZ (Speed Dome)</b>				
<b>DS-2AE4123TI-D</b> 		<b>HD720P Turbo IR PTZ Dome Camera</b> <ul style="list-style-type: none"> <li>• 1/3", 1/2.8" HD Progressive Scan CMOS</li> <li>• 1280x720</li> <li>• 23X Optical Zoom</li> <li>• DWDR</li> <li>• Up to 100m IR distance</li> <li>• 3D intelligent positioning function</li> <li>• Support Turbo HD and BNC output</li> </ul>	<b>Php 17,200</b>	
<b>DS-2AE4223TI-D</b> 		<b>HD1080P Turbo IR PTZ Dome Camera</b> <ul style="list-style-type: none"> <li>• 1/3", 1/2.8" HD Progressive Scan CMOS</li> <li>• 1920x1080</li> <li>• 23X Optical Zoom</li> <li>• DWDR</li> <li>• Up to 100m IR distance</li> <li>• 3D intelligent positioning function</li> <li>• Support Turbo HD and BNC output</li> </ul>	<b>Php 21,500</b>	
<b>DS-2AE7230TI-A</b>		<b>HD1080P Turbo IR PTZ Dome Camera</b> <ul style="list-style-type: none"> <li>• 2MP CMOS Image Sensor</li> <li>• Full HD 1080P Video Output</li> <li>• 30X optical zoom, 16X digital zoom</li> <li>• Support up the coax function</li> <li>• Privacy Masking, 3D DNR, D WDR, EIS</li> <li>• 3D intelligent positioning</li> <li>• True Day&amp;Night</li> </ul>	<b>Php 38,800</b>	

MODEL	PICTURE	DETAILS		
<b>Turbo HD DVR</b>				
<b>DS-7204HGHI-F1</b> 		<b>4CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support both HD-TVI/analog and AHD cameras with adaptive access</li> <li>• <b>Full channel@ 720P resolution non real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 16-ch synchronous playback</li> </ul>	Php 3,200	
<b>DS-7208HGHI-F1</b> 		<b>8CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support both HD-TVI/analog and AHD cameras with adaptive access</li> <li>• <b>Full channel@ 720P resolution non real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 16-ch synchronous playback</li> </ul>	Php 5,200	
<b>DS-7216HGHI-F1</b> 		<b>16CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support both HD-TVI/analog and AHD cameras with adaptive access</li> <li>• <b>Full channel@ 720P resolution non real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 16-ch synchronous playback</li> </ul>	Php 8,000	
<b>DS-7216HGHI-F2</b> 		<b>16CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support both HD-TVI/analog and AHD cameras with adaptive access</li> <li>• <b>Full channel@ 720P resolution non real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 16-ch synchronous playback</li> </ul>	Php 9,800	
<b>DS-7204HQHI-F1/N</b> 		<b>4CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 ,H.264+&amp; Dual-stream video compression</li> <li>• Support HD-TVI, IPC,AHD and analog cameras with adaptive access</li> <li>•Support 1080P lite mode enabled to realize the real-time 1080P lite and 720P lite resolution</li> <li>• HDMI and VGA output at up to 1920×1080P resolution,</li> <li>• Long transmission distance over coax cable</li> <li>• Up to 4-ch synchronous playback at 1080p resolution</li> <li>• playback at up to 256X speed.</li> </ul>	Php 4,200	

MODEL	PICTURE	DETAILS		
<b>DS-7208HQHI-F1/N</b> 		<b>8CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 ,H.264+&amp; Dual-stream video compression</li> <li>• Support HD-TVI, IPC,AHD and analog cameras with adaptive access</li> <li>•Support 1080P lite mode enabled to realize the real-time 1080P lite and 720P lite resolution</li> <li>• HDMI and VGA output at up to 1920×1080P resolution,</li> <li>• Long transmission distance over coax cable</li> <li>• Up to 8-ch synchronous playback at 1080p resolution</li> <li>• playback at up to 256X speed.</li> </ul>	Php 11,900	
<b>DS-7216HQHI-F2/N</b> 		<b>16CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264, H.264+&amp; Dual-stream video compression</li> <li>• Support HD-TVI, IPC,AHD and analog cameras with adaptive access</li> <li>•<b>Support 1080P lite mode enabled to realize the real-time 1080P lite and 720P lite resolution</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution,</li> <li>• Long transmission distance over coax cable</li> <li>• Up to 4/8-ch synchronous playback at 1080p resolution</li> <li>• playback at up to 256X speed.</li> </ul>	Php 11,900	
<b>DS-7308HQHI-F4/N</b> 		<b>8CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support HD-TVI/analog/IP camera triple hybrid</li> <li>• Support both HD-TVI and analog cameras with adaptive access</li> <li>• <b>Full channel@1080P resolution real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 16-ch synchronous playback at 1080P resolution</li> </ul>	Php 22,000	
<b>DS-7316HQHI-F4/N</b> 		<b>16CH Turbo HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support HD-TVI/analog/IP camera triple hybrid</li> <li>• Support both HD-TVI and analog cameras with adaptive access</li> <li>• <b>Full channel@1080P resolution real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 16-ch synchronous playback at 1080P resolution</li> </ul>	Php 26,300	

MODEL	PICTURE	DETAILS		
<b>DS-7332HGHI-SH</b> 		<b>32CH TURBO HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support HD-TVI/analog/IP camera triple hybrid</li> <li>• Support both HD-TVI and analog cameras with adaptive access</li> <li>• <b>Full channel@720P resolution real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 24/32-ch synchronous playback at 1080P resolution</li> </ul>	<b>Php 42,800</b>	
<b>DS-8132HGHI-SH</b> 		<b>32CH TURBO HD DVR</b> <ul style="list-style-type: none"> <li>• H.264 &amp; Dual-stream video compression</li> <li>• Support HD-TVI/analog/IP camera triple hybrid</li> <li>• Support both HD-TVI and analog cameras with adaptive access</li> <li>• <b>Full channel@1080P resolution real-time recording</b></li> <li>• HDMI and VGA output at up to 1920×1080P resolution</li> <li>• Long transmission distance over coax cable</li> <li>• Support up to 24/32-ch synchronous playback at 1080P resolution</li> </ul>	<b>Php 92,400</b>	
<b>DS-MP7504/GW</b> 		<b>4CH Mobile HDTVl DVR</b> <ul style="list-style-type: none"> <li>• 4 -ch 720P HD TVl recording</li> <li>• 2piece 2.5" HDDs / SSD, 1 SD/SDHC</li> <li>• Built-in G-sensor</li> <li>• 3rd G patent HDD shock absorption case</li> </ul>	<b>Php 28,500</b>	